	<h1 style="margin: 0;">SAFETY DATA SHEET</h1>	Page : 1 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<h2 style="margin: 0;">IDEAL SEC</h2>		<h3 style="margin: 0;">97060525</h3>

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : IDEAL SEC  
Product code : 97060525

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Stain Remover

### 1.3. Details of the supplier of the safety data sheet

#### Company identification

Responsible for placing on the market : AC MARCA, S.A.  
Avda. Carrilet, 293-297  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

### 1.4. Emergency telephone number

Phone nr : 0034 93 260 68 00 (24h)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification EC 67/548 or EC 1999/45

Classification : F+; R12  
R67  
Xi; R38  
N; R50-53

#### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin irritation - Category 2 - Warning (CLP : Skin Irrit. 2) H315  
Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 -  
Warning (CLP : STOT SE 3) H336  
Physical hazards : Aerosols - Category 1 - Danger (CLP : Aerosol 1) H222-H229  
Environmental hazards : Hazardous to the aquatic environment - Chronic hazard - Category 2 (CLP :  
Aquatic Chronic 2) H411


### 2.2. Label elements

#### Labelling EC 67/548 or EC 1999/45

**AC MARCA, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-297  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

	<h1>SAFETY DATA SHEET</h1>	Page : 2 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<h2>IDEAL SEC</h2>		<h3>97060525</h3>

## 2. Hazards identification (continued)

Symbol(s)



Symbol(s)

: Xi : Irritant  
F+ : Extremely flammable  
N : Dangerous for the environment

R Phrase(s)

: R12 : Extremely flammable.  
R38 : Irritating to skin.  
R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R67 : Vapours may cause drowsiness and dizziness.

S Phrase(s)

: S2 : Keep out of the reach of children.  
S23 : Do not breathe spray.  
S24/25 : Avoid contact with skin and eyes.  
S46 : If swallowed seek medical advice immediately and show this container or label.  
S51 : Use only in well-ventilated areas.  
S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Further Phrases

: Do not ingest

Contains

: > 30% : - Aliphatic hydrocarbons

### Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Danger

Hazard statements

: H222 : Extremely flammable aerosol.  
H229 : Pressurised container: May burst if heated.  
H315 : Causes skin irritation.  
H336 : May cause drowsiness or dizziness.  
H411 : Toxic to aquatic life with long lasting effects.

Supplemental hazard information

: Do not ingest

Precautionary statements

• General

: P102: Keep out of reach of children.  
P101: If medical advice is needed, have product container or label at hand.

• Prevention

: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211: Do not spray on an open flame or other ignition source.  
P251: Do not pierce or burn, even after use.

• Response


: P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.  
P302+P352: IF ON SKIN : Wash with plenty of soap and water.

• Storage

: P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point.

	<h1>SAFETY DATA SHEET</h1>	Page : 3 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<h2>IDEAL SEC</h2>		<h3>97060525</h3>

## 2. Hazards identification (continued)

**Special labelling** : Use only in well-ventilated areas. Do not breathe vapour.  
**Contains** : > 30% : - Aliphatic hydrocarbons  
Heptane

### 2.3. Other hazards

**Other hazards** : None under normal conditions.

## 3. Composition/information on ingredients

**Substance / Preparation** : Preparation.  
**Hazardous component(s)** : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Heptane	: > 30 < 40 %	142-82-5	205-563-8	601-008-00-2	----	F; R11 Xn; R65 R67 Xi; R38 N; R51-53 ----- Flam. Liq. 2:H225 Asp. Tox. 1:H304 Skin Irrit. 2:H315 STOT SE; H336 Aquatic Chronic 2:H411
Propan-2-ol	: > 5 < 10 %	67-63-0	200-661-7	603-117-00-0	----	F; R11 R67 Xi; R36 ----- Flam. Liq. 2:H225 Eye Irrit. 2:H319 STOT SE; H336

## 4. First aid measures

### 4.1. Description of first aid measures

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.  
**Ingestion** : Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Direct contact with the eyes is likely irritating. Shortness of breath. Cough.  
Causes skin irritation.  
May cause drowsiness or dizziness.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physician** : Never give anything by mouth to an unconscious person. Information on the current composition has been sent to the Spanish Poisons Centre. Tel (24hs, Information in Spanish): +34 91 562 04 20  
If you feel unwell, seek medical advice (show the label where possible).


## 5. Fire-fighting measures

### 5.1. Extinguishing media

**AC MARCA, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-297  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

	<h1>SAFETY DATA SHEET</h1>	Page : 4 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<h2>IDEAL SEC</h2>		<h3>97060525</h3>

### 5. Fire-fighting measures (continued)

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
**Unsuitable extinguishing media** : Do not use a heavy water stream.  
**Surrounding fires** : Use water spray or fog for cooling exposed containers.

#### 5.2. Special hazards arising from the substance or mixture

- Flammable class** : Extremely flammable aerosol.  
**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

#### 5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.  
**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.  
**Technical measures** : Use special care to avoid static electric charges.  
**Special precautions** : Remove ignition sources. No naked lights. No smoking. Isolate small containers presenting a leak.  
**For non-emergency personnel** : Evacuate unnecessary personnel.

#### 6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.


#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

### 7. Handling and storage

#### 7.1. Precautions for safe handling

- Handling** : Handle empty containers with care because residual vapours are flammable.  
**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed.  
**Special precautions** : No naked lights. No smoking.

<p>Grupo AC MARCA</p> 	<h1>SAFETY DATA SHEET</h1>	Page : 5 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<h2>IDEAL SEC</h2>		<h3>97060525</h3>

## 7. Handling and storage (continued)

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep in fireproof place.
- Storage - away from** : Heat sources. Direct sunlight.

### 7.3. Specific end use(s)

- Specific end use(s)** : None.

## 8. Exposure controls/personal protection

### 8.1. Exposure controls

#### Personal protection



- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
  - **Hand protection** : In case of repeated or prolonged contact wear gloves.
  - **Skin protection** : Wear suitable protective clothing.
  - **Eye protection** : Chemical goggles or safety glasses.
  - **Others** : When using, do not eat, drink or smoke.


### 8.2. Control parameters

- Occupational Exposure Limits** : Hydrocarbons, C3-4-rich, petroleum distillate : TLV© -TWA [ppm] : 1000

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state at 20 °C** : Flammable aerosol.
- Colour** : White.
- Odour** : Characteristic.
- Odour threshold** : No data available.
- pH value** : No data available.
- Melting point [°C]** : No data available.
- Decomposition point [°C]** : No data available.
- Critical temperature [°C]** : No data available.
- Auto-ignition temperature [°C]** : No data available.
- Flammability (solid, gas)** : Extremely flammable aerosol.
- Flash point [°C]** : No data available.

	<b>SAFETY DATA SHEET</b>	Page : 6 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<b>IDEAL SEC</b>		<b>97060525</b>

## 9. Physical and chemical properties (continued)

Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: Not applicable.
Acid/alkali reserve [g NaOH/100g]	: No data available.
Vapour pressure [20°C]	: No data available.
Vapour pressure [50°C]	: No data available.
Vapour density	: No data available.
Density [kg/m <sup>3</sup> ]	: No data available.
Density [g/cm <sup>3</sup> ]	: No data available.
Relative density, liquid (water=1)	: Not applicable.
Solubility in water	: 0.76
Log Pow octanol / water at 20°C	: No data available.
Viscosity at 40°C [mm <sup>2</sup> /s]	: No data available.

### 9.2. Other information

Explosive properties	: No data available.
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

## 10. Stability and reactivity

### 10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

### 10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

### 10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

### 10.4. Conditions to avoid


Conditions to avoid	: Open flame. Overheating. Direct sunlight. Heat. Sparks.
---------------------	---

### 10.5. Incompatible materials

Materials to avoid	: Not established.
--------------------	--------------------

### 10.6. Hazardous decomposition products

Hazardous decomposition products	: May release flammable gases.
----------------------------------	--------------------------------

	<b>SAFETY DATA SHEET</b>	Page : 7 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<b>IDEAL SEC</b>		<b>97060525</b>

## 11. Toxicological information

### 11.1. Information on toxicological effects

<b>Toxicity information</b>	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
<b>Acute toxicity</b>	
• <b>Inhalation</b>	: Based on available data, the classification criteria are not met.
• <b>Dermal</b>	: Based on available data, the classification criteria are not met.
• <b>Ingestion</b>	: Based on available data, the classification criteria are not met.
<b>Corrosion</b>	: Based on available data, the classification criteria are not met.
<b>Irritation</b>	: Causes skin irritation.
<b>Sensitization</b>	: Based on available data, the classification criteria are not met.
<b>Mutagenicity</b>	: Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	: Based on available data, the classification criteria are not met.
<b>Toxic for reproduction</b>	: Based on available data, the classification criteria are not met.
<b>STOT-single exposure</b>	: May cause drowsiness or dizziness.
<b>STOT-repeated exposure</b>	: Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	: Based on available data, the classification criteria are not met.

## 12. Ecological information

### 12.1. Toxicity

<b>Toxicity information</b>	: Toxic to aquatic life with long lasting effects.
-----------------------------	--

### 12.2. Persistence - degradability

<b>Persistence - degradability</b>	: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. May cause long-term adverse effects in the environment.
------------------------------------	--

### 12.3. Bioaccumulative potential

<b>Bioaccumulative potential</b>	: Not established.
----------------------------------	--------------------

### 12.4. Mobility in soil

<b>Mobility in soil</b>	: Not established.
<b>Log Pow octanol / water at 20°C</b>	: No data available.

### 12.5. Results of PBT and vPvB assessment

<b>Results of PBT and vPvB assessment</b>	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
---	---

### 12.6. Other adverse effects

**AC MARCA, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-297  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

<b>Grupo AC MARCA</b> 	<h1>SAFETY DATA SHEET</h1>	Page : 8 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<h2>IDEAL SEC</h2>		<h3>97060525</h3>

### 12. Ecological information (continued)

**Environmental precautions** : Avoid release to the environment.

### 13. Disposal considerations

#### 13.1. Waste treatment methods

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

**Special precautions** : Handle empty containers with care because residual vapours are flammable. Container under pressure. Do not drill or burn even after use. Flammable vapours may accumulate in the container.

### 14. Transport information

**General information** : Finished Product in Limited Quantity (LQ). Fulfills chapters 3.4 of ADR and IMDG and 2.8 of IATA.

#### 14.1. Land transport (ADR-RID)

**Proper shipping name** : AEROSOLS, flammable

**UN N°** : 1950

**H.I. nr** : --

**ADR - Class** : 2

**Labelling - Transport** : 2.1 9E




**ADR - Classification code** : 5F

**ADR - Packing instructions** : P003 LP002

**ADR - Limited Quantity** : 1 L

**ADR - Tunnel code** : D



#### 14.2. Sea transport (IMDG) [English only]

**Proper shipping name** : AEROSOLS, flammable

**UN N°** : 1950

**IMO-IMDG - Class or division** : 2.1 ( 9E )


**IMO- IMDG - Packing instructions** : P003

**IMO-IMDG - Limited quantities** : 1000 ml

**IMO-IMDG - Marine pollution** : No

**EMS-Nr** : F-D S-U



	<h1>SAFETY DATA SHEET</h1>	Page : 9 / 10
		Revised edition no : 4
		Date : 4 / 6 / 2015
		Supersedes : 15 / 4 / 2015
<h2>IDEAL SEC</h2>		<h3>97060525</h3>

### 14. Transport information (continued)

#### 14.3. Air transport (ICAO-IATA) [English only]

**Proper shipping name** : AEROSOLS, flammable  
**UN N°** : 1950  
**IATA - Class or division** : 2.1 ( 9E )  
**IATA - Passenger and Cargo Aircraft** : ALLOWED  
    - Passenger and Cargo - Packing : 203  
**instruction**  
    - Passenger and Cargo - Maximum : 75 kg  
**Quantity/Packing**  
**IATA - Cargo only** : ALLOWED  
    - Cargo only - Packing instruction : 203  
    - Cargo only - Maximum Quantity/ : 150 kg  
**Packing**  
**IATA - Limited Quantities** : 30 kg G  
**ERG-Nr** : 10L

### 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.

#### 15.2. Chemical Safety Assessment

**Chemical Safety Assessment** : It has not been carried out.

### 16. Other information

**Revision** : Revision - See : \*  
**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
 vPvB: very persistent and very bioaccumulative  
**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
**List of relevant R phrases (heading 3)** : R11 : Highly flammable.  
 R36 : Irritating to eyes.  
 R38 : Irritating to skin.  
 R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R65 : Harmful : may cause lung damage if swallowed.  
 R67 : Vapours may cause drowsiness and dizziness.  
**List of full text of H-statements in section 3** : H225 : Highly flammable liquid and vapour.  
 H304 : May be fatal if swallowed and enters airways.  
 H315 : Causes skin irritation.  
 H319 : Causes serious eye irritation.  
 H336 : May cause drowsiness or dizziness.

**AC MARCA, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-297  
 08907 L'Hospitalet de Llobregat  
 Barcelona (SPAIN)  
 Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
 reach@grupoacmarca.com

