



SAFETY DATA SHEET

Astonish Paste

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Astonish Paste
Product number	860001
Internal identification	F1V1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning Ovens, Grills & Pans
Uses advised against	Do not use on non-stick or Teflon coatings

1.3. Details of the supplier of the safety data sheet

Supplier	The London Oil Refining Company Ltd Astonish House Unit 1 Premier Point Staithgate Lane Bradford, BD6 1DW UK + 44 1274 767440 + 44 1274 726285 www.astonishcleaners.com
Contact person	info@astonish.co.uk

1.4. Emergency telephone number

Emergency telephone	(01274) 767440 (office hours only)
----------------------------	------------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

2.2. Label elements

Hazard statements	EUH208 Contains d-Limonene. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.
Additional Labelling	None
Detergent labelling	< 5% perfumes, < 5% soap, Contains d-Limonene

Astonish Paste

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Silica Flour	60-100%
CAS number: 14808-60-7	
Classification STOT RE 1 - H372	Classification (67/548/EEC or 1999/45/EC) T; R48/23/24/25
Sodium Silicate	<1%
CAS number: 1344-09-8	EC number: 215-687-4
	REACH registration number: 01-2119448725-31-0000
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335	Classification (67/548/EEC or 1999/45/EC) C; R34
d-Limonene	<1%
CAS number: 5989-27-5	EC number: 227-813-5
M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R10, R43

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Rinse affected area with water.
Eye contact	Rinse thoroughly with water for several minutes. If symptoms persist seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Possible mild transient irritation of skin.
Eye contact	Possible mild irritation, redness and soreness.

Astonish Paste

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No data available

Specific treatments No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of carbon may be produced.

5.3. Advice for firefighters

Protective actions during firefighting Use protection suitable to cause of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Use as instructed on label.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning Ovens, Grills & Pans

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Silica Flour

Long-term exposure limit (8-hour TWA): WEL 0.1 mg/m³ Inhalation

Sodium Silicate

Astonish Paste

Long-term exposure limit (8-hour TWA): DNEL, Workers 1.59 mg/kg Dermal
 Long-term exposure limit (8-hour TWA): DNEL, Workers 5.61 mg/m³ Inhalation
 Long-term exposure limit (8-hour TWA): DNEL, General 0.8 mg/kg Oral
 Long-term exposure limit (8-hour TWA): DNEL, General 1.38 mg/m³ Inhalation
 Long-term exposure limit (8-hour TWA): DNEL, General 0.8 mg/kg Dermal

WEL = Workplace Exposure Limit

8.2. Exposure controls

Environmental exposure controls This product does not pose a hazard in normal use when following the usage instructions. Take care to avoid contact with skin and eyes. Gloves may be required for repeated or prolonged exposure.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Smooth Solid Orange Paste
Colour	Orange.
Odour	Oranges
Odour threshold	Not known.
pH	pH (diluted solution): 9.0 - 10.5 (1% aq.)
Melting point	Not known.
Initial boiling point and range	Not measured (>100°C)
Flash point	Not determined.
Evaporation rate	Not known.
Evaporation factor	Not known.
Flammability (solid, gas)	Does not ignite.
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not determined.
Vapour density	> 1 (Air=1)
Relative density	~ 1.6 @ 20°C
Bulk density	Not relevant.
Solubility(ies)	Silica Flour - Insoluble in Water
Partition coefficient	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not available.
Viscosity	Not determined.
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not available.

Astonish Paste

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reactivity hazards expected.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions.

10.4. Conditions to avoid

Conditions to avoid None known.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Other health effects Silica Flour- Contains respirable quartz and is classified as STOT RE1. Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica. Once dispersed fully in the product the risk of respirable silica becoming airborne is negligible.

SECTION 12: Ecological Information

Ecotoxicity The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the available data of the ingredients the mixture is not classified as harmful to the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability Contains detergents that satisfy the bio-degradation requirements of directive 648/2004/EC.

12.3. Bioaccumulative potential

Bioaccumulative potential No bio-accumulative potential noted for any component.

Partition coefficient Not known.

Astonish Paste

12.4. Mobility in soil

Mobility The components of the mixture are readily absorbed into soil and are mobile in water environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by 453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP). Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents.

Astonish Paste

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
General information	Note: The hazard statements below are explanations of phrases used in the SDS as abbreviations and DO NOT apply to the product. The statements applicable to the product are those identified in Section 2 only.
Revision comments	This is first issue.
Issued by	The London Oil Refining Company Ltd
Revision date	08/11/2018
Revision	1.1
SDS number	5164
Risk phrases in full	R10 Flammable. R34 Causes burns. R38 Irritating to skin. R43 May cause sensitisation by skin contact. R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed.
Hazard statements in full	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H372 Causes damage to organs (Respiratory system, lungs) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. EUH208 Contains d-Limonene. May produce an allergic reaction.