

**Soudal Sealant Remover****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier:**

Product name : Soudal Sealant Remover  
Registration number REACH : Not applicable (mixture)  
Product type REACH : Mixture

**1.2 Relevant identified uses of the substance or mixture and uses advised against:****1.2.1 Relevant identified uses**

Detergent according to Regulation (EC) No 648/2004

**1.2.2 Uses advised against**

No uses advised against

**1.3 Details of the supplier of the safety data sheet:****Supplier of the safety data sheet**

SOUDAL N.V.  
Everdongenlaan 18-20  
B-2300 Turnhout  
☎ +32 14 42 42 31  
☐ +32 14 42 65 14  
msds@soudal.com

**Manufacturer of the product**

SOUDAL N.V.  
Everdongenlaan 18-20  
B-2300 Turnhout  
☎ +32 14 42 42 31  
☐ +32 14 42 65 14  
msds@soudal.com

**1.4 Emergency telephone number:**

24h/24h (Telephone advice: English, French, German, Dutch):  
+32 14 58 45 45 (BIG)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture:**

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Eye Irrit.	category 2	H319: Causes serious eye irritation.

**2.2 Label elements:****Signal word****H-statements**

H319

**P-statements**

P102

P280

P264

P305 + P351 + P338

P337 + P313

P501

**Supplemental information**

EUH066

**Warning**

Causes serious eye irritation.

Keep out of reach of children.

Wear eye protection

Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue if eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulation.

Repeated exposure may cause skin dryness or cracking.

**2.3 Other hazards:**

Material presenting a fire hazard

# Soudal Sealant Remover

Warning! Product may cause floors to be slippery

## SECTION 3: Composition/information on ingredients

### 3.1 Substances:

Not applicable

### 3.2 Mixtures:

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics 01-2119456620-43		C>25%	Asp. Tox. 1; H304	(1)(10)	UVCB
alcohols, C9-11, ethoxylated 01-2119980051-45		1%<C<3%	Eye Dam. 1; H318	(1)(10)	UVCB

(1) For H-statements in full: see heading 16

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

## SECTION 4: First aid measures

### 4.1 Description of first aid measures:

#### General:

Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Alcohol consumption increases the toxicity.

#### After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

#### After skin contact:

Wash immediately with lots of water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists.

#### After eye contact:

Rinse immediately with plenty of water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.

#### After ingestion:

Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Consult a doctor/medical service if you feel

..

### 4.2 Most important symptoms and effects, both acute and delayed:

#### 4.2.1 Acute symptoms

##### After inhalation:

EXPOSURE TO HIGH CONCENTRATIONS: Dizziness. Nausea.

##### After skin contact:

No effects known.

##### After eye contact:

Irritation of the eye tissue.

##### After ingestion:

No effects known.

#### 4.2.2 Delayed symptoms

No effects known.

### 4.3 Indication of any immediate medical attention and special treatment needed:

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media:

#### 5.1.1 Suitable extinguishing media:

Water spray. Polyvalent foam. BC powder. Carbon dioxide.

#### 5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

### 5.2 Special hazards arising from the substance or mixture:

Upon combustion: CO and CO<sub>2</sub> are formed.

### 5.3 Advice for firefighters:

#### 5.3.1 Instructions:

No specific fire-fighting instructions required.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves. Safety glasses. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

Revision number: 0300

Product number: 51795

2 / 12

# Soudal Sealant Remover

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

No naked flames.

#### 6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves. Safety glasses. Protective clothing.

Suitable protective clothing

See heading 8.2

### 6.2 Environmental precautions:

Contain leaking substance. Use appropriate containment to avoid environmental contamination.

### 6.3 Methods and material for containment and cleaning up:

Solid spill: take up in absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with a soap solution. Wash clothing and equipment after handling.

### 6.4 Reference to other sections:

See heading 13.

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 7.1 Precautions for safe handling:

Keep away from naked flames/heat. Gas/vapour heavier than air at 20°C. Avoid prolonged and repeated contact with skin. Keep container tightly closed. Remove contaminated clothing immediately.

### 7.2 Conditions for safe storage, including any incompatibilities:

#### 7.2.1 Safe storage requirements:

Store in a cool area. Ventilation at floor level. Meet the legal requirements. Max. storage time: 1 year(s).

#### 7.2.2 Keep away from:

Heat sources, oxidizing agents, (strong) acids, peroxides.

#### 7.2.3 Suitable packaging material:

Synthetic material.

#### 7.2.4 Non suitable packaging material:

No data available

### 7.3 Specific end use(s):

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters:

#### 8.1.1 Occupational exposure

##### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

##### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

If applicable and available it will be listed below.

Kerosene (Naphthas)	NIOSH	1550
---------------------	-------	------

#### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 DNEL/PNEC values

##### DNEL - Workers

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Type	Value	Remark
			No data available

alcohols, C9-11, ethoxylated

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	294 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	2080 mg/kg bw/day	

##### DNEL - General population

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Type	Value	Remark
			No data available

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

# Soudal Sealant Remover

## alcohols, C9-11, ethoxylated

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	87 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	1250 mg/kg bw/day	
	Long-term systemic effects oral	25 mg/kg bw/day	

## PNEC

## alcohols, C9-11, ethoxylated

Compartment	Value	Remark
Fresh water	0.10379 mg/l	
Marine water	0.10379 mg/l	
Aqua (intermittent releases)	0.014 mg/l	
STP	1.4 mg/l	
Fresh water sediment	13.7 mg/kg sediment dw	
Marine water sediment	13.7 mg/kg sediment dw	
Soil	1 mg/kg soil dw	

### 8.1.5 Control banding

If applicable and available it will be listed below.

## 8.2 Exposure controls:

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 8.2.2 Individual protection measures, such as personal protective equipment

Avoid prolonged and repeated contact with skin. Keep container tightly closed. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

High gas/vapour concentration: gas mask with filter type A.

#### b) Hand protection:

Gloves.

- materials (good resistance)

PVC, nitrile rubber, PVA.

#### c) Eye protection:

Safety glasses.

#### d) Skin protection:

Protective clothing.

### 8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties:

Physical form	Viscous liquid
Odour	Solvent-like odour
Odour threshold	No data available
Colour	Colourless
Particle size	Not applicable (liquid)
Explosion limits	0.6 - 14 vol %
Flammability	Material presenting a fire hazard
Log Kow	Not applicable (mixture)
Dynamic viscosity	45 mPa.s ; 20 °C
Kinematic viscosity	No data available
Melting point	No data available
Boiling point	189 °C
Flash point	> 55 °C
Evaporation rate	No data available
Relative vapour density	No data available
Vapour pressure	0.1 hPa ; 20 °C
Solubility	water ; insoluble
Relative density	0.8 ; 20 °C
Decomposition temperature	No data available
Auto-ignition temperature	207 °C
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
pH	No data available

### 9.2 Other information:

Absolute density	800 kg/m <sup>3</sup> ; 20 °C
------------------	-------------------------------

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

Revision number: 0300

Product number: 51795

4 / 12

# Soudal Sealant Remover

## SECTION 10: Stability and reactivity

### 10.1 Reactivity:

Temperature above flashpoint: higher fire/explosion hazard.

### 10.2 Chemical stability:

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions:

No data available.

### 10.4 Conditions to avoid:

Keep away from naked flames/heat.

### 10.5 Incompatible materials:

Oxidizing agents, (strong) acids, peroxides.

### 10.6 Hazardous decomposition products:

Upon combustion: CO and CO<sub>2</sub> are formed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects:

#### 11.1.1 Test results

#### Acute toxicity

##### Soudal Sealant Remover

No (test) data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	> 5000 mg/kg bw		Rat (male/female)	Read-across	
Dermal	LD50	Equivalent to OECD 402	> 5000 mg/kg bw		Rabbit (male/female)	Read-across	
Inhalation (aerosol)	LC50	Equivalent to OECD 403	> 5000 mg/m <sup>3</sup> air	8 h	Rat (male)	Read-across	
Inhalation (vapours)	LC50	Equivalent to OECD 403	4467 ppm	8 h	Rat (male)	Read-across	

alcohols, C9-11, ethoxylated

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	5130 mg/kg bw		Rat (female)	Read-across	
Oral	LD50	OECD 401	> 5050 mg/kg bw		Rat (male)	Read-across	
Dermal	LD50	Equivalent to OECD 402	> 2000 mg/kg bw	24 h	Rat (male/female)	Read-across	
Inhalation (aerosol)	LC50	Equivalent to OECD 403	> 1.6 mg/l	4 h	Rat (male/female)	Read-across	

Judgement is based on the relevant ingredients

#### Conclusion

Not classified for acute toxicity

#### Corrosion/irritation

##### Soudal Sealant Remover

No (test) data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Read-across	
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 48; 72 hours	Rabbit	Read-across	

alcohols, C9-11, ethoxylated

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage	OECD 405			Rabbit	Read-across	
Skin	Not irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Read-across	

Classification is based on the relevant ingredients

#### Conclusion

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

# Soudal Sealant Remover

Causes serious eye irritation.  
Not classified as irritating to the skin  
Not classified as irritating to the respiratory system

## Respiratory or skin sensitisation

### Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406			Guinea pig (male/female)	Read-across	

alcohols, C9-11, ethoxylated

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406		24; 48 hours	Guinea pig (male/female)	Read-across	

Judgement is based on the relevant ingredients

### Conclusion

Not classified as sensitizing for skin  
Not classified as sensitizing for inhalation

## Specific target organ toxicity

### Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral	NOAEL	Equivalent to OECD 422	≥ 1000 mg/kg bw/day		No effect		Rat (male/female)	Read-across
Oral	NOAEL	Equivalent to OECD 408	≥ 5000 mg/kg bw/day		No effect		Rat (male/female)	Read-across
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	≥ 2200 mg/m <sup>3</sup> air		No effect		Rat (female)	Read-across
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	275 mg/m <sup>3</sup> air		No effect		Rat (male)	Read-across
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	> 10400 mg/m <sup>3</sup> air		No effect	13 weeks (6h/day, 5 days/week)	Rat (male/female)	Read-across

alcohols, C9-11, ethoxylated

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL systemic effects	Equivalent to OECD 408	≥ 500 mg/kg bw/day	General	No adverse systemic effects	90 day(s)	Rat (male/female)	Read-across

Judgement is based on the relevant ingredients

### Conclusion

Not classified for subchronic toxicity

## Mutagenicity (in vitro)

### Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result	Method	Test substrate	Effect	Value determination
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)	No effect	Read-across
Negative	OECD 471	Bacteria (S.typhimurium)	No effect	Read-across
Negative	Equivalent to OECD 479	Chinese hamster ovary (CHO)	No effect	Read-across
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 476	Chinese hamster lung fibroblasts	No effect	Read-across

alcohols, C9-11, ethoxylated

Result	Method	Test substrate	Effect	Value determination
Negative	Equivalent to OECD 476	Chinese hamster ovary (CHO)	No effect	Read-across
Negative	Equivalent to OECD 473	Chinese hamster ovary (CHO)	No effect	Read-across
Negative	Equivalent to OECD 471	Bacteria (S.typhimurium)	No effect	Weight of evidence

## Mutagenicity (in vivo)

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

# Soudal Sealant Remover

## Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent to OECD 474		Mouse (male/female)	Bone marrow	Read-across

## Carcinogenicity

### Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Organ	Effect
Inhalation (vapours)	NOAEC	Equivalent to OECD 453	> 2200 mg/m <sup>3</sup> air	105 weeks (6h/day, 5 days/week)	Rat (female)	Read-across		No effect

alcohols, C9-11, ethoxylated

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Organ	Effect
Inhalation						Data waiving		
Dermal						Data waiving		
Oral						Data waiving		

## Reproductive toxicity

### Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m <sup>3</sup> air		Rat (female)	Maternal toxicity		Weight of evidence
	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m <sup>3</sup> air		Rat (male/female)	Fetotoxicity		Weight of evidence
	NOAEL (F1)	Equivalent to OECD 415	750 mg/kg bw/day	13 weeks (daily)	Rat (male/female)		General	Read-across
Effects on fertility	NOAEL	OECD 414	≥ 5220 mg/m <sup>3</sup>		Rat (female)	No effect		Read-across
	NOAEL	Other	≥ 1575 mg/m <sup>3</sup>		Rat	No effect		Read-across

alcohols, C9-11, ethoxylated

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 416	≥ 250 mg/kg bw/day		Rat	No effect		Experimental value
Maternal toxicity	NOAEL	Other	≥ 250 mg/kg bw/day		Rat (female)	No effect		Experimental value
	NOEL	Other	100 mg/kg bw/day		Rat (female)	No effect		Experimental value
Effects on fertility	NOAEL (P/F1)	Equivalent to OECD 416	≥ 250 mg/kg bw/day		Rat (male/female)	No effect		Experimental value

Judgement is based on the relevant ingredients

### Conclusion CMR

Not classified for reprotoxic or developmental toxicity

Not classified for mutagenic or genotoxic toxicity

Not classified for carcinogenicity

## Toxicity other effects

### Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
	Equivalent to OECD 404		Skin	Skin dryness or cracking		Rabbit	Read-across

Classification is based on the relevant ingredients

### Conclusion

Repeated exposure may cause skin dryness or cracking.

## Chronic effects from short and long-term exposure

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

Revision number: 0300

Product number: 51795

7 / 12



# Soudal Sealant Remover

## Soudal Sealant Remover

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

## SECTION 12: Ecological information

### 12.1 Toxicity:

#### Soudal Sealant Remover

No (test)data on the mixture available

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 1000 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity invertebrates	EC50	OECD 202	> 1000 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	EC50	OECD 201	> 1000 mg/l	72 h	Pseudokirchneriella subcapitata	Static system		Experimental value; GLP
Long-term toxicity fish	NOEL		0.173 mg/l	28 day(s)	Pisces			QSAR; Reproduction
Long-term toxicity aquatic invertebrates	NOEL		1.22 mg/l	21 day(s)	Crustacea			QSAR; Reproduction

alcohols, C9-11, ethoxylated

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		5.7 mg/l	96 h	Salmo gairdneri	Static system	Fresh water	Experimental value
Acute toxicity invertebrates	EC50		2.5 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value
Toxicity algae and other aquatic plants	EC50		1.4 mg/l	96 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value
	EC20		1.978 mg/l	72 h	Scenedesmus subspicatus	Static system	Fresh water	Read-across; Growth rate
Long-term toxicity fish	NOEC		0.28 mg/l	30 day(s)	Pimephales promelas	Flow-through system	Fresh water	Read-across
Long-term toxicity aquatic invertebrates	NOEC	US EPA	0.77 mg/l	21 day(s)	Daphnia magna	Flow-through system	Fresh water	Read-across
Toxicity aquatic micro-organisms	EC50		140 mg/l	3 h	Activated sludge	Static system	Fresh water	Read-across

	Parameter	Method	Value	Duration	Species	Value determination
Toxicity soil macro-organisms	LC50	OECD 207	> 1000 mg/kg soil dw	14 day(s)	Eisenia foetida	Read-across

Judgement of the mixture is based on the relevant ingredients

#### Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

### 12.2 Persistence and degradability:

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradation water

Method	Value	Duration	Value determination
OECD 301F: Manometric Respirometry Test	69 %; GLP	28 day(s)	Experimental value

alcohols, C9-11, ethoxylated

Biodegradation water

Method	Value	Duration	Value determination
ISO 14593	72 % - 89 %	28 day(s)	Read-across

#### Conclusion

The surfactant(s) is/are biodegradable

### 12.3 Bioaccumulative potential:

#### Soudal Sealant Remover

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

Revision number: 0300

Product number: 51795

8 / 12



# Soudal Sealant Remover

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF		112 - 159	128 day(s)	Pisces	Literature study

Log Kow

Method	Remark	Value	Temperature	Value determination
		> 3		

alcohols, C9-11, ethoxylated

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF		12.7 - 237	24 h	Pimephales promelas	Read-across

Log Kow

Method	Remark	Value	Temperature	Value determination
KOWWIN		3.42		QSAR

## Conclusion

Does not contain bioaccumulative component(s)

## 12.4 Mobility in soil:

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	30.7 %	0 %	45.7 %	20.9 %	2.7 %	Calculated value

alcohols, C9-11, ethoxylated

(log) Koc

Parameter	Method	Value	Value determination
log Koc		1.608 - 2.881	QSAR

## Conclusion

Contains component(s) that adsorb(s) into the soil

Contains component(s) with potential for mobility in the soil

## 12.5 Results of PBT and vPvB assessment:

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

## 12.6 Other adverse effects:

Soudal Sealant Remover

Global warming potential (GWP)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Ground water

Ground water pollutant

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Global warming potential (GWP)

Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014)

Ground water

Ground water pollutant

alcohols, C9-11, ethoxylated

Global warming potential (GWP)

Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014)

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1 Waste treatment methods:

#### 13.1.1 Provisions relating to waste

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 30 (separately collected fractions (except 15 01): detergents other than those mentioned in 20 01 29). Depending on branch of industry and production process, also other waste codes may be applicable. Can be considered as non-hazardous waste according to Regulation (EU) No 1357/2014.

#### 13.1.2 Disposal methods

Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery. Remove waste in accordance with local and/or national regulations. Dispose of the small quantities as household waste. Do not discharge into drains or the environment.

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

Revision number: 0300

Product number: 51795

9 / 12

# Soudal Sealant Remover

## 13.1.3 Packaging/Container

Waste material code packaging (Directive 2008/98/EC).  
15 01 02 (plastic packaging).

## SECTION 14: Transport information

### Road (ADR)

#### 14.1 UN number:

Transport	Not subject
-----------	-------------

#### 14.2 UN proper shipping name:

#### 14.3 Transport hazard class(es):

Hazard identification number	
Class	
Classification code	

#### 14.4 Packing group:

Packing group	
Labels	

#### 14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

#### 14.6 Special precautions for user:

Special provisions	
Limited quantities	

### Rail (RID)

#### 14.1 UN number:

Transport	Not subject
-----------	-------------

#### 14.2 UN proper shipping name:

#### 14.3 Transport hazard class(es):

Hazard identification number	
Class	
Classification code	

#### 14.4 Packing group:

Packing group	
Labels	

#### 14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

#### 14.6 Special precautions for user:

Special provisions	
Limited quantities	

### Inland waterways (ADN)

#### 14.1 UN number:

Transport	Not subject
-----------	-------------

#### 14.2 UN proper shipping name:

#### 14.3 Transport hazard class(es):

Class	
Classification code	

#### 14.4 Packing group:

Packing group	
Labels	

#### 14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

#### 14.6 Special precautions for user:

Special provisions	
Limited quantities	

### Sea (IMDG/IMSBC)

#### 14.1 UN number:

Transport	Not subject
-----------	-------------

#### 14.2 UN proper shipping name:

#### 14.3 Transport hazard class(es):

Class	
-------	--

#### 14.4 Packing group:

Packing group	
Labels	

#### 14.5 Environmental hazards:

Marine pollutant	-
Environmentally hazardous substance mark	no

#### 14.6 Special precautions for user:

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

# Soudal Sealant Remover

Special provisions	
Limited quantities	

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:

Annex II of MARPOL 73/78	
--------------------------	--

## Air (ICAO-TI/IATA-DGR)

14.1 UN number:

Transport	Not subject
-----------	-------------

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

Class	
-------	--

14.4 Packing group:

Packing group	
Labels	

14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

14.6 Special precautions for user:

Special provisions	
Passenger and cargo transport: limited quantities: maximum net quantity per packaging	

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
95 %	
760 g/l	

Ingredients according to Regulation (EC) No 648/2004 and amendments

≥30% aliphatic hydrocarbons, <5% non-ionic surfactants

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics alcohols, C9-11, ethoxylated	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with R65 or H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage"; b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010. 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public. 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.'

#### National legislation The Netherlands

Soudal Sealant Remover

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

Revision number: 0300

Product number: 51795

11 / 12

# Soudal Sealant Remover

Waste identification (the Netherlands)	LWCA (the Netherlands): KGA category 03
Waterbezwaarlijkheid	11

## National legislation Germany

### Soudal Sealant Remover

WGK	1; Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)
-----	---

### alcohols, C9-11, ethoxylated

TA-Luft	5.2.5; I
---------	----------

## National legislation France

### Soudal Sealant Remover

No data available

## National legislation Belgium

### Soudal Sealant Remover

No data available

## Other relevant data

### Soudal Sealant Remover

No data available

## 15.2 Chemical safety assessment:

No chemical safety assessment is required.

## SECTION 16: Other information

### Full text of any H-statements referred to under headings 2 and 3:

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(\*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2;3;4;5;7.1;8;9;10;11;12;13;15;16

Publication date: 2012-04-23

Date of revision: 2015-06-22

Revision number: 0300

Product number: 51795

12 / 12